



RELEASE NUMBER	REV LTR	REVISION DESCRIPTION	BY	DATE	APPD
P54190-05	-	INITIAL RELEASE	JP1	04/03/17	DJJ
PLIA04-78	A	TORQUE WAS 5 FT/LB	KVB	04/17/18	DRG


1. ALIGN BRACKET (ITEM 3) TO THE BAFFLE (ITEM 1) BY PUSHING IT AFT AS SHOWN IN VIEW A WHEN INSTALLING RIVETS (ITEM 4)
2. INSTALL THE BAFFLE (ITEM 1) IN THE HOOD OPENING USING RIVETS (ITEM 4)
3. INSERT THE ALIGNMENT PIN ON THE BEZEL (ITEM 2) INTO THE CORRESPONDING HOLE IN THE BAFFLE (ITEM 1)
4. FIRMLY PRESS THE CLIPS ON THE BEZEL (ITEM 2) INTO THE CORRESPONDING SLOTS IN THE BAFFLE (ITEM 1)
5. TORQUE TO 2.5 ± 0.5 FT/LB **A**

ITEM NUMBER D17-21276-000	DESCRIPTION INSTL-AIR INTAKE, HOOD MOUNTED	DAIMLER		Daimler Trucks North America	
		THE INFORMATION CONTAINED HEREIN IS PROPRIETARY DATA, AND IS NOT FOR DISSEMINATION OR DISCLOSURE, IN WHOLE OR IN PART, FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT IS SUBMITTED, EXCEPT AS AUTHORIZED IN WRITING BY DAIMLER TRUCKS NORTH AMERICA LLC (DTNA)			
		MATERIAL APPROVAL N/A	DATE N/A	UNLESS OTHERWISE NOTED, DIMENSIONS AND TOLERANCES ARE DEFINED ACCORDING TO ASME Y14.5M- 1994, WITH EXCEPTION PER DTNA 09ENG-WI037	
		DRAWN BY J.PARSONS	DATE 03/29/17		
		CHECKED BY D.JOHNSTON	DATE 03/30/17		
RESPONSIBLE ENGINEER J.PARSONS	DATE 03/29/17				
APPROVED BY D.JOHNSTON	DATE 03/30/17	THIRD ANGLE PROJECTION 	UNITS OF MEASURE MM		
DESCRIPTION INSTL-AIR INTAKE, HOOD MOUNTED					
SUPPLEMENTAL DESCRIPTION					
ITEM/DRAWING NUMBER D17-21276		REVISION LETTER A		PAGE 1 of 3	






LH SHOWN

RH SIMILAR



VIEW A



LH SHOWN
RH SIMILAR